	L #	Hits	Search Text
1	L1	156072	(email e-mail electronic message) with (creat$3 generat$3 execut$4 select$4)
2	L2	16828	(email e-mail electronic message) with (display$3 view$3 review$30 read observ$4 right authothriz$5) with (only specific special)
3	L3	65447	(email e-mail electronic message) with (creat$3 generat$3 execut$4 select$4) with select$4
4	L4	122	(email e-mail electronic message) with (display$3 view$3 review$30 read observ$4) with (privilege right authothriz$5) with (only specific special)
5	L5	58	3 and 4
6	L6	7	3 and 4 and mime
7	L7	50	(email e-mail electronic message) with (display$3 view$3 review$30 read observ$4) with (privilege right authothriz$5) with (only specific special) and ("1998" "1997" "1996" "1995" "1994" "1993").ay.
8	L8	0	7 and mime
9	L9	38	(email e-mail electronic message) with (creat$3 generat$3 execut$4 select$4) and 7
10	L10	28	(email e-mail electronic message) with select$4 and 9
11	L11	9	(email e-mail electronic message) with select$4 and 9 and encod$4
12	L12	2162	(email e-mail electronic adj message) with select$4
13	L13	3223	(email e-mail electronic adj message) with (creat$3 generat$3 execut$4)
14	L15	1	12 and 13 and 14
15	L14	3	(email e-mail electronic adj message) with (display$3 view$3 review$30 read observ$4) with (privilege right authothriz$5) with (only specific special)
16	L16	0	(email e-mail electronic adj message) with (privilege right authothriz$5) with (only specific special).ab.

	L #	Hits	Search Text
17	L17	0	(email e-mail electronic adj message) with (privilege right authothriz$5).ab.
18	L18	183	(email e-mail electronic adj message) with (privilege right authothriz$5)
19	L19	40	(email e-mail electronic adj message) with (privilege right authothriz$5)with (only specific special)
20	L22	96	(email e-mail electronic adj message teleconferenc$3 videoconferenc$3 video adj conferenc$3) with (privilege right authori$7)with (only specific special)
21	L23	1	21 and 22
22	L24	250	(email e-mail electronic adj message teleconferenc$3 videoconferenc$3 video adj conferenc$3) same (privilege access adj right authori$7)with (only specific special)
23	L25	0	21 and 24
24	L21	16	(email e-mail electronic adj message teleconfierenc$3 videoconferenc$3 video adj conferenc$3) with (display$3 view$3 visual$5 review$3) with (two differnet other) adj2 (node manner display$3 view$3)
25	L26	15	(email e-mail electronic adj message teleconfierenc$3 videoconferenc$3 video adj conferenc$3) with (display$3 view$3 visual$5 review$3) with (two differnet other) adj2 (node manner display$3 view$3) and only
26	L27	8	(email e-mail electronic adj message) same (display$3 view$3 visual$5 review$3) with (two different other) adj2 (node manner display$3 view$3) same only
27	L28	292	(select$4 creat$3 generat$3 inital$4) with (email e-mail electronic adj message) and (display$3 view$3 visual$5 review$3) with (two different other) with (specific special unique authoriz$5 only grant)

	L #	Hits	Search Text
28	L29	6	(select$4 creat$3 generat$3 inital$4) with (email e-mail electronic adj message).ab. and (display$3 view$3 visual$5 review$3) with (two different other) with (specific special unique authoriz$5 only grant)
29	L30	95	(select$4 creat$3 generat$3 inital$4) with (email e-mail electronic adj message).ab. and (display$3 view$3 visual$5 review$3) with (two different specific special unique authoriz$5 only grant)
30	L31	31	(creat$3 generat$3 inital$4) with (email e-mail electronic adj message).ab. and (display$3 view$3 visual$5 review$3) with (two different specific special unique authoriz$5 only grant) and select$4 near3 (email e-mail electronic adj message)
31	L32	12	(creat$3 generat$3 inital$4) with (email e-mail electronic adj message).ab. and (display$3 view$3 visual$5 review$3) with (two different specific special unique authoriz$5 only grant) and select$4 near3 (email e-mail electronic adj message) and (encod$3 encrypt$3 mime)
32	L33	12	(creat$3 generat$3 inital$4) with (email e-mail electronic adj message).ab. and (display$3 view$3 visual$5 review$3) with (two different specific special unique authoriz$5 only grant) and select$4 near3 (email e-mail electronic adj message) and (encod$3 encrypt$3 mime) and (author$7 permi$5 allow access adj right)
33	L34	12	(email e-mail electronic adj message) with (display$3 view$3 review$30 read observ$4 access assign$3 creat$3 generat$3 execut$4) with (privilege access adj right authothriz$5 grant) and ("1998" "1997" "1996" "1995" "1994" "1993").ay.

	L #	Hits	Search Text
34	L35	372	(select$4 creat$3 generat$3 inital$4) adj3 (email e-mail electronic adj message) and (display$3 view$3 visual$5 review$3)adj3 (email e-mail electronic adj message) and (two different specific special unique authoriz$5 only grant)with (email e-mail electronic adj message)
35	L36	305	(select$4 creat$3 generat$3 inital$4) adj3 (email e-mail electronic adj message) and (display$3 view$3 visual$5 review$3)adj3 (email e-mail electronic adj message) and (two different specific special unique authoriz$5 only grant) near3 (email e-mail electronic adj message)
36	L37	0	36 and 4 and mime
37	L38	196	(email e-mail electronic adj message).ab. and 36
38	L39	90	(email e-mail electronic adj message).ab. and 36 and (encod$3 encrypt$3)
39	L40	40	39 and mime
40	L41	21	39 and mime and (mode access adj right)
41	L42	8	39 and mime and (mode access adj right) and author$6
42	L43	9	(select$4 creat$3 generat$3 inital$4) adj3 (email e-mail electronic adj message) with (access adj right permi$6 authoriz$5 only grant) and (display$3 view$3 visual$5 review$3)adj3 (email e-mail electronic adj message) with (access adj right permi$6 authoriz$5 only grant)

	Hits	Search Text
1	217820	(display$3 view$3) same (mode pattern$3)
2	3193	(email mail electronic adj message).ab.
3	144144	(display$3 view$3) with (mode pattern$3)
4	252	((email mail electronic adj message).ab.) and ((display$3 view$3) with (mode pattern$3))
5	14419	(display$3 view$3) with (two second different) adj3 (mode pattern$3 tool)
6	25	((email mail electronic adj message).ab.) and ((display$3 view$3) with (two second different) adj3 (mode pattern$3 tool))
7	20	(((email mail electronic adj message).ab.) and ((display$3 view$3) with (two second different) adj3 (mode pattern$3 tool))) and (subset folder box mailbox)
8	7707	(first two different all) adj3 (message attachment mode pattern$3 tool) with second adj3 (tool set state mode pattern display$3 view$3 see$3) with (part$3 portion only subset)
9	8	((email mail electronic adj message).ab.) and ((first two different all) adj3 (message attachment mode pattern$3 tool) with second adj3 (tool set state mode pattern display$3 view$3 see$3) with (part$3 portion only subset))
10	23248	(first two different all) same (message attachment mode pattern$3 tool) same second adj3 (tool set state mode pattern display$3 view$3 see$3) same (part$3 portion only subset)
11	58	((email mail electronic adj message).ab.) and ((first two different all) same (message attachment mode pattern$3 tool) same second adj3 (tool set state mode pattern display$3 view$3 see$3) same (part$3 portion only subset))
12	871	(display$3 view$3 see select$4) with first with (all directory mailbox)

	Hits	Search Text
13	112625	(display$3 view$3 see select$4) with second with (part$2 portion subdirectory subset)
14	12	((email mail electronic adj message).ab.) and ((display$3 view$3 see select$4) with first with (all directory mailbox)) and ((display$3 view$3 see select$4) with second with (part$2 portion subdirectory subset))
15	42629	(decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) with (client user subscriber customer)
16	13546	(decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)
17	279393	(display$3 view$3) adj10 (different$2 alter$8)
18	38	((email mail electronic adj message).ab.) and ((decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)) and ((display$3 view$3) adj10 (different$2 alter$8))
19	31421	(decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) near3 (client user subscriber customer remote network)

	Hits	Search Text
20	32	(((email mail electronic adj message).ab.) and ((decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)) and ((display$3 view$3) adj10 (different$2 alter$8))) and ((decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) near3 (client user subscriber customer remote network))
21	23	(((email mail electronic adj message).ab.) and ((decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)) and ((display$3 view$3) adj10 (different$2 alter$8))) and ((decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) near3 (client user subscriber customer remote network)) not ("1999" "2000" "2001" "2002" "2003").ay.
22	19583	(decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) adj3 (client user subscriber customer remote network)

	Hits	Search Text
23	13	((((email mail electronic adj message).ab.) and ((decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)) and ((display$3 view$3) adj10 (different$2 alter$8))) and ((decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) near3 (client user subscriber customer remote network)) not ("1999" "2000" "2001" "2002" "2003").ay.) and ((decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) adj3 (client user subscriber customer remote network))
24	2	(("6230188") or ("6092114")).PN.
25	2	((("6230188") or ("6092114")).PN.) and (generat43 creat$3 send$3 writ$4) with (email mail electronic adj messag$3)
26	1	((("6230188") or ("6092114")).PN.) and mime
27	2	((("6230188") or ("6092114")).PN.) and display$3
28	60	(email electronic adj (mail message)).ab. and display$3 adj10 different$2
29	0	select$4 adj10 all with (only particular$2 portion part) same (email electronic adj (mail message))
30	336	select$4 with (only particular$2 portion part) same (email electronic adj (mail message))
31	17	((email electronic adj (mail message)).ab. and display$3 adj10 different$2) and (select$4 with (only particular$2 portion part) same (email electronic adj (mail message)))
32	0	(709/200.03).CCLS.
33	0	((("6230188") or ("6092114")).PN.) and (two adj way bidirection$2)

	Hits	Search Text
34	0	(((("6230188") or ("6092114")).PN.) and (two adj way interact$3 bidirection$2)
35	343	(email electronic adj (mail message)).ab. and (two adj way interact$3 bidirection$2)
36	43	((email electronic adj (mail message)).ab. and display$3 adj10 different$2) and ((email electronic adj (mail message)).ab. and (two adj way interact$3 bidirection$2))
37	7	(((email electronic adj (mail message)).ab. and display$3 adj10 different$2) and ((email electronic adj (mail message)).ab. and (two adj way interact$3 bidirection$2))) and mime
38	108	(email electronic adj (mail message)).ab. and (two adj way bi adj direction bidirection$2)
39	9	((email electronic adj (mail message)).ab. and display$3 adj10 different$2) and ((email electronic adj (mail message)).ab. and (two adj way bi adj direction bidirection$2))
40	162	(email electronic adj (mail message)and (two adj way interact$3 bidirection$2)).ab.
41	22	((email electronic adj (mail message)).ab. and display$3 adj10 different$2) and ((email electronic adj (mail message)and (two adj way interact$3 bidirection$2)).ab.)
42	22	((email electronic adj (mail message)and (two adj way interact$3 bidirection$2)).ab.) and display$3 adj10 different$2
43	1	(((("6230188") or ("6092114")).PN.) and (encod$3 encrypt$3 compress$3 conver$4)
44	100	(email electronic adj (mail message)).ab. and (two adj way interact$3 bidirection$2) and(encod$3 encrypt$3 compress$3) and (decod$3 decrypt$3 decompress$3)
45	26	(email electronic adj (mail message)).ab. and (two adj way bi adj direction bidirection$2) and (encod$3 encrypt$3 compress$3) same (decod$3 decrypt$3 decompress$3)

	Hits	Search Text
46	7	((email electronic adj (mail message)).ab. and (two adj way bi adj direction bidirection$2) and (encod$3 encrypt$3 compress$3) same (decod$3 decrypt$3 decompress$3)) and mime
47	27	(email electronic adj (mail message)).ab. and (bi adj direction$2 bidirection$2) and (encod$3 encrypt$3 compress$3) same (decod$3 decrypt$3 decompress$3)
48	6	((email electronic adj (mail message)).ab. and (bi adj direction$2 bidirection$2) and (encod$3 encrypt$3 compress$3) same (decod$3 decrypt$3 decompress$3)) and mime
49	2	(email electronic adj (mail message)).ab. and (bi adj direction$2 bidirection$2) and (encod$3 encrypt$3 compress$3) same (decod$3 decrypt$3 decompress$3) same (automatic$4 dynamic$4 intelligent$2)
50	11	(email electronic adj (mail message)).ab. and (encod$3 encrypt$3 compress$3) with (automatic$4 dynamic$4 intelligent$2) same (decod$3 decrypt$3 decompress$3)
51	9	(email electronic adj (mail message)).ab. and (encod$3 encrypt$3 compress$3) with (automatic$4 dynamic$4 intelligent$2) with (decod$3 decrypt$3 decompress$3)
52	2	(email electronic adj (mail message)) same (encod$3 encrypt$3 compress$3) with (automatic$4 dynamic$4 intelligent$2) with (decod$3 decrypt$3 decompress$3)

	L #	Hits	Search Text	DBs	Time Stamp
1	L3	217820	(display$3 view$3) same (mode pattern$3)	USPAT	2003/06/25 12:23
2	L4	3193	(email mail electronic adj message).ab.	USPAT	2003/06/25 13:48
3	L5	144144	(display$3 view$3) with (mode pattern$3)	USPAT	2003/06/25 13:45
4	L6	252	4 and 5	USPAT	2003/06/25 13:48
5	L7	14419	(display$3 view$3) with (two second different) adj3 (mode pattern$3 tool)	USPAT	2003/06/25 12:40
6	L8	25	4 and 7	USPAT	2003/06/25 12:50
7	L9	20	8 and (subset folder box mailbox)	USPAT	2003/06/25 12:33
8	L10	7707	(first two different all) adj3 (message attachment mode pattern$3 tool) with second adj3 (tool set state mode pattern display$3 view$3 see$3) with (part$3 portion only subset)	USPAT	2003/06/25 12:56
9	L11	8	4 and 10	USPAT	2003/06/25 13:45
10	L12	23248	(first two different all) same (message attachment mode pattern$3 tool) same second adj3 (tool set state mode pattern display$3 view$3 see$3) same (part$3 portion only subset)	USPAT	2003/06/25 13:02
11	L13	58	4 and 12	USPAT	2003/06/25 13:34
12	L14	871	(display$3 view$3 see select$4) with first with (all directory mailbox)	USPAT	2003/06/25 13:47
13	L15	112625	(display$3 view$3 see select$4) with second with (part$2 portion subdirectory subset)	USPAT	2003/06/25 13:51
14	L16	12	4 and 14 and 15	USPAT	2003/06/25 14:11
15	L17	42629	(decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) with (client user subscriber customer)	USPAT	2003/06/25 14:08

	L #	Hits	Search Text	DBs	Time Stamp
16	L18	13546	(decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) with (client user subscriber customer remote network) adj3 (computer machine node terminal station workstation device unit)	USPAT	2003/06/25 14:19
17	L19	279393	(display$3 view$3) adj10 (different$2 alter$8)	USPAT	2003/06/25 14:13
18	L20	38	4 and 18 and 19	USPAT	2003/06/25 14:14
19	L21	31421	(decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) near3 (client user subscriber customer remote network)	USPAT	2003/06/25 14:23
20	L22	32	20 and 21	USPAT	2003/06/25 14:21
21	L23	23	20 and 21 not ("1999" "2000" "2001" "2002" "2003").ay.	USPAT	2003/06/25 14:21
22	L24	19583	(decod$3 decrypt$3 decompress$3 translat$3 transcod$3 conver$4 inteprpret$5 reformat$4) adj3 (client user subscriber customer remote network)	USPAT	2003/06/25 14:25
23	L26	13	23 and 24	USPAT	2003/06/25 14:25

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	3180	(electronic adj (mail message) mail email).ab.	USPAT	2003/06/13 11:32
2	L2	266084	(display$3 view$3) with (different alternative)	USPAT	2003/06/13 11:34
3	L3	172	1 and 2 and (mailbox$3 subset folder)	USPAT	2003/06/13 11:34
4	L4	47	1 and 2 and mailbox$3 and (subset folder)	USPAT	2003/06/13 11:35
5	L5	25	4 and authori$6	USPAT	2003/06/13 11:35
6	L6	37	4 and (authori$6 permi$6 access near3 right)	USPAT	2003/06/13 11:36
7	L7	19	6 not ("1999" "2000" "2001" "2002" "2003").ay.	USPAT	2003/06/13 11:38
8	L8	12	7 and (interact$5 bidirect$5 two adj way)	USPAT	2003/06/13 11:40
9	L9	103207	select$4 with mode	USPAT	2003/06/13 11:41
10	L10	40	3 and 9	USPAT	2003/06/13 11:41
11	L11	3	8 and 10	USPAT	2003/06/13 11:41

	Hits	Search Text
1	1286	(sender author creater creator initiator) with (recipient receiver enduser) with (interact$7 communicat$3 birection$2)
2	1109	(email e-mail electronic adj (mail message)).ab.
3	75	((sender author creater creator initiator) with (recipient receiver enduser) with (interact$7 communicat$3 birection$2)) and ((email e-mail electronic adj (mail message)).ab.)
4	18	(((sender author creater creator initiator) with (recipient receiver enduser) with (interact$7 communicat$3 birection$2)) and ((email e-mail electronic adj (mail message)).ab.)) and (encod$3 encrypt$3) with (decrypt$3 decod$3)
5	61	(((sender author creater creator initiator) with (recipient receiver enduser) with (interact$7 communicat$3 birection$2)) and ((email e-mail electronic adj (mail message)).ab.)) and (all list whole group directory mailbox folder) same (portion message each part particular$2 specific$4 some)
6	17	((((sender author creater creator initiator) with (recipient receiver enduser) with (interact$7 communicat$3 birection$2)) and ((email e-mail electronic adj (mail message)).ab.)) and (encod$3 encrypt$3) with (decrypt$3 decod$3)) and ((((sender author creater creator initiator) with (recipient receiver enduser) with (interact$7 communicat$3 birection$2)) and ((email e-mail electronic adj (mail message)).ab.)) and (all list whole group directory mailbox folder) same (portion message each part particular$2 specific$4 some))

	L #	Hits	Search Text
1	L1	1884	(mail email (instant electronic short) adj2 messag$3) same (author$7 authenticat$3 secur$4 restrict$3 personal privat$7) same (customiz$5 select$4)
2	L2	2	(mail email (instant electronic short) adj2 messag$3) same (author$7 authenticat$3 secur$4 restrict$3 personal privat$7) same (customiz$5 select$4) same (two pair coouple) adj2 (state mode condition$2)
3	L3	2	(mail email (instant electronic short) adj2 messag$3) same (author$7 authenticat$3 secur$4 restrict$3 personal privat$7) same (customiz$5 select$4) same (two pair couple) adj2 (state mode condition$2)
4	L5	79	(mail email (instant electronic short) adj2 messag$3) same (author$7 authenticat$3 secur$4 restrict$3 personal privat$7 read$3 writ$4) same (customiz$5 select$4) same (display$3 view$3 present$5 visual$7) with (state mode condition$2)
5	L4	4	(mail email (instant electronic short) adj2 messag$3) same (author$7 authenticat$3 secur$4 restrict$3 personal privat$7 read$3 writ$4) same (customiz$5 select$4) same (two pair couple) adj2 (state mode condition$2)
6	L6	2	(mail email (instant electronic short) adj2 messag$3) same (author$7 authenticat$3 secur$4 restrict$3 personal privat$7 read$3 writ$4) same (customiz$5 select$4) same (display$3 view$3 present$5 visual$7) with (state mode condition$2) near3 (two more first with second)
7	L7	71	(mail email (instant electronic short) adj2 messag$3) same (author$7 authenticat$3 secur$4 restrict$3 personal privat$7 read$3 writ$4) and (customiz$5 select$4) same (display$3 view$3 present$5 visual$7) with (state mode condition$2) near3 (two more first with second)
8	L8	3314	(mail email (instant electronic short) adj2 messag$3) same (encod$3 decod$3 encrypt$3 decrypt$3)
9	L9	14	7 and 8